Access DB# 192861

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: Sin J. Lee Examiner #: 76060 Date: 6-13-06
Art Unit: 1752 Phone Number 30 2-1333 Serial Number: 10/815,398
Mail Box and Bldg/Room Location: 9C15 Results Format Preferred (circle): PAPER DISK E-MAIL
Rem.

If more than one search is submitted, please prioritize searches in order of need.

****

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Plz. See B.b.

Inventors (please provide full names):

Earliest Priority Filing Date:

**For Sequence Searches Only* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

— Please search for the polymer having any one of the following repeating units.



(R= alkyl, n= greater than 1 or 1
X = -OH or -SH) → but -SH has to be present

****

STAFF USE ONLY	Type of Search		Vendors and cost where applicable	
Searcher: EL	NA Sequence (#)		STN	
Searcher Phone #:	AA Sequence (#)		Dialog	
Searcher Location:	Structure (#)		Questel/Orbit	
Date Searcher Picked Up:	Bibliographic		Dr.Link	
Date Completed: 6-15-06	Litigation		Lexis/Nexis	
Searcher Prep & Review Time:	Fulltext		Sequence Systems	
Clerical Prep Time:	Patent Family		WWW/Internet	
Online Time:	Other		Other (specify)	

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

BIBDATASHEET

Bib Data Sheet

CONFIRMATION NO. 7576

SERIAL NUMBER	FILING DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.
10/815,398	03/31/2004 RULE	430	1752	42P18694

APPLICANTS

Wang Yueh, Portland, OR;

Ernisse S. Putna, Beaverton, OR;

** CONTINUING DATA **********

None SJL

** FOREIGN APPLICATIONS **********

None SJL

IF REQUIRED, FOREIGN FILING LICENSE GRANTED
** 06/10/2004

Foreign Priority claimed ☐ yes ☑ no 35 USC 119 (a-d) conditions met ☐ yes ☐ no ☐ Met after Allowance Verified and Acknowledged Examiner's Signature Initials	STATE OR COUNTRY OR	SHEETS DRAWING 1	TOTAL CLAIMS 30	INDEPENDENT CLAIMS 4

ADDRESS
08791
BLAKELY SOKOLOFF TAYLOR & ZAFMAN
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES , CA
90025-1030

TITLE
Resist compounds including acid labile groups having hydrophilic groups attached thereto

FILING FEE RECEIVED	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	☐ All Fees ☐ 1.16 Fees (Filing) ☐ 1.17 Fees (Processing Ext. of time) ☐ 1.18 Fees (Issue)

h e e e e e c e ce e b hee c b

```
=> file reg
FILE 'REGISTRY' ENTERED AT 15:04:06 ON 15 JUN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)


=> d his


     FILE 'LREGISTRY' ENTERED AT 14:24:27 ON 15 JUN 2006
L1              STR

     FILE 'REGISTRY' ENTERED AT 14:28:41 ON 15 JUN 2006
L2            0 S L1
L3              STR L1
L4            1 S L3
L5              STR L3
L6            1 S L5
L7           12 S L5 FUL
                SAV L7 LEE398/A

     FILE 'CAOLD' ENTERED AT 15:03:34 ON 15 JUN 2006
L8            0 S L7

     FILE 'ZCA' ENTERED AT 15:03:39 ON 15 JUN 2006
L9           10 S L7

     FILE 'REGISTRY' ENTERED AT 15:04:06 ON 15 JUN 2006


=> d l7 que stat
L5              STR
```



17 S E1

```
REP G1=(0-3) C
NODE ATTRIBUTES:
HCOUNT  IS E1     AT  17
CONNECT IS E1  RC AT  17
```

DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE
L7 12 SEA FILE=REGISTRY SSS FUL L5

100.0% PROCESSED 4323 ITERATIONS 12 ANSWERS
SEARCH TIME: 00.00.01

=> file zca
FILE 'ZCA' ENTERED AT 15:04:20 ON 15 JUN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

=> d l9 1-10 cbib abs hitstr hitrn

L9 ANSWER 1 OF 10 ZCA COPYRIGHT 2006 ACS on STN
144:156726 Pharmaceutical compositions from ethnobotanicals. Shimasaki, Craig D.; Ojwang, Joshua O. (USA). U.S. Pat. Appl. Publ. US 2006020029 A1 20060126, 24 pp. (English). CODEN: USXXCO. APPLICATION: US 2005-157129 20050620. PRIORITY: US 2004-2004/PV585117 20040702.

AB This invention relates to the field of drug discovery. Specifically, it describes a method ("Inverted Drug Screening" or "IDS") of identifying therapeutics from ethnobotanical (EB) prepns. by repeatedly fractionating and testing fractions from EB sources. One aspect of the invention relates to quinic acid derivs. (e.g., derivs. of 3,5-dicaffeoylquinic acid) for the treatment of respiratory syncytial virus (RSV) infection.

IT **874183-60-5**
(pharmaceutical compns. from ethnobotanicals)

RN 874183-60-5 ZCA

CN Cyclohexanecarboxylic acid, 3,5-bis[[3-(3,4-dihydroxyphenyl)-1-oxo-2-propenyl]oxy]-1-hydroxy-4-mercapto-, (1.alpha.,3.alpha.,4.alpha.,5.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



IT **874183-60-5**
(pharmaceutical compns. from ethnobotanicals)

L9 ANSWER 2 OF 10 ZCA COPYRIGHT 2006 ACS on STN
121:230578 (5S)-penem derivatives, their preparation and use. Southgate, Robert; Coulton, Steven; Smale, Terence Charles; Allsop, Aileen Edwina; McLean, Sara Denise (Smithkline Beecham PLC, UK). PCT Int. Appl. WO 9403168 A1 19940217, 64 pp. DESIGNATED STATES: W: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, VN; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, DE, DK, ES, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO 1993-GB1589 19930727. PRIORITY: GB 1992-16102 19920729.

GI



I

AB Title compds. I (R1 = H, , R3CO wherein R3 = ester- or amide-forming group stable toward in vivo hydrolysis; R2 = H, substituent; n = 0,1) useful as an inhibitor of the bacterial enzyme leader peptidase 1, are prepd.. 4-Acetoxyazetidin-2-one was added to Na (-)-cis-.beta.-[(carbomenthyl)oxy]vinyl mercaptan to give the (4S)-cis deriv. which was treated with benzyl glyoxylate to give diastereomeric hydroxyacetates, treated with SOCl2 to give the chloroacetates, treated with Ph3P to give benzyl [(4S)-(cis-.beta.-carbomenthyloxyvinylmercapto)2-oxoazetidin-1-yl]-

triphenylphosphoranylideneacetate which was reacted with CF3CO2H and O3 to give I (R1 = R2 = H, R3 = PhCH2, n = 0) (II). II at 100.mu.M inhibited peptidase 1 100%.

IT **72118-54-8**
(reaction of, in prepn. of peptidase 1 inhibitors)

RN 72118-54-8 ZCA

CN 2-Propenoic acid, 3-mercapto-, 5-methyl-2-(1-methylethyl)cyclohexyl ester, sodium salt, [1R-[1.alpha.(Z),2.beta.,5.alpha.]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



IT **72118-54-8**
(reaction of, in prepn. of peptidase 1 inhibitors)

L9 ANSWER 3 OF 10 ZCA COPYRIGHT 2006 ACS on STN

114:184869 Preparation of thioformamide derivatives. Hart, Terance William; Vacher, Bernard Yvon Jack; Sharp, Brian William (Rhone-Poulenc Sante, Fr.). Eur. Pat. Appl. EP 390693 A1 19901003, 29 pp. DESIGNATED STATES: R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE. (English). CODEN: EPXXDW. APPLICATION: EP 1990-400868 19900330. PRIORITY: GB 1989-7307 19890331; GB 1989-13862 19890616.

GI



I



II



III

AB Thioformamide derivs. I [R = alkyl; A = (substituted) Ph or heteroaryl; Y = CH2, CH2CH2, or bond; B = (substituted) Ph, pyridyl, furyl, thienyl, C1-6 alkyl, C2-6 alkenyl, or cycloalkyl, etc.], useful as vasodilators, were prepd. For example, a mixt. of (.+-.)-trans-II (prepn. given), 4-FC6H4CO2H, DCC, and 4-dimethylaminopyridine in MeCN was stirred for 18 h at 20.degree.. Subsequent work-up and isolation gave title compd. (.+-.)-trans-III. III at 0.0003 .mu.M reduced K+-induced contraction of rat aorta by 90%. The EC90 of 52 other I were detd.

IT **133219-55-3P 133219-63-3P**
(prepn. of, as vasodilator)

RN 133219-55-3 ZCA

CN 2-Propenoic acid, 3-phenyl-, 2-[(methylamino)thioxomethyl]-2-(3-pyridinyl)cyclohexyl ester, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.
Double bond geometry unknown.



RN 133219-63-3 ZCA
CN 2-Propenoic acid, 2-cyano-3-phenyl-, 2-[(methylamino)thioxomethyl]-2-(3-pyridinyl)cyclohexyl ester, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.
Double bond geometry unknown.



IT **133219-55-3P 133219-63-3P**
(prepn. of, as vasodilator)

L9 ANSWER 4 OF 10 ZCA COPYRIGHT 2006 ACS on STN
114:30120 Adhesive composition containing a polymerizable thiocarboxylic acid or a derivative thereof for bonding metals. Kawashima, Mitsunobu; Omura, Ikuo (Kuraray Co., Ltd., Japan). Eur. Pat. Appl. EP 348166 A2 19891227, 24 pp. DESIGNATED STATES: R: DE, FR, GB, IT, NL. (English). CODEN: EPXXDW. APPLICATION: EP 1989-306251 19890620. PRIORITY: JP 1988-152491 19880620; JP 1988-198623 19880808.

AB An adhesive compn. comprises a polymerizable thiocarboxylic acid or deriv., R1C(:X1)R2 (I; X1 = O, S; when X1 = O, R1 = org. group contg. .gtoreq.1 olefinic double bond and R2 = SH; when X1 = S, R1 = org. group and R2 = SH, halo, OR3, SR3; R3 = monovalent org. group; .gtoreq.1 of R1 and R3 has .gtoreq.1 olefinic double bond) and a solvent which is either copolymerizable or noncopolymerizable with I. The compn. is used as a primer or an adhesive and provides a H2O-resistant, high-strength bond to various metals used in dental and other applications. 11-Methacryloyloxyundecanedithioic acid (II) was prepd. by (a) reacting 10-bromo-1-decene with Mg and then with CS2; (b) treating the product of (a) with HBr; and (c) treating the product of (b) with Ag methacrylate. A pure Au plate, a dental Au-Ag-Pd alloy, and a dental Au-Pt-Pd alloy, were reinforced with a 4-mm thick stainless steel plate on the reverse side, and coated with a monolayer of II (from 1 wt. % toluene soln.). An adhesive tape with a 5-mm diam. aperture was applied to the surface to prep.

an adherent surface. The end face of a round bar of SUS 304 contg. a paste of dental adhesive (methacrylic acid ester 100, Na sulfinate-benzoyl peroxide-tertiary amine polymn. initiator 3, and silanized inorg. filler 320 wt. parts) was pressed against the adherent surface for bonding. After 1 h, the test piece was immersed in water at 37.degree. for 24 h before tensile bond strength was measured. The bond strength was 360, 378, and 389 kg/cm2 to the 3 metals, resp.

IT **131264-84-1**
(as adhesive component of primer, dental gold-based alloys bonding with)

RN 131264-84-1 ZCA

CN 2-Propenoic acid, 2-methyl-, 4-[1-[4-(dithiocarboxy)cyclohexyl]-1-methylethyl]cyclohexyl ester (9CI) (CA INDEX NAME)



IT **131264-84-1**
(as adhesive component of primer, dental gold-based alloys bonding with)

L9 ANSWER 5 OF 10 ZCA COPYRIGHT 2006 ACS on STN

106:32694 Thioazetidinones. Gosteli, Jacques; Ernst, Ivan; Woodward, Robert Burns (Ciba-Geigy A.-G., Switz.). Pat. Specif. (Aust.) AU 544572 B2 19850606, 209 pp. (English). CODEN: ALXXAP. APPLICATION: AU 1982-81231 19820309.

GI



I



II



III

AB The title compds. [I; Z = O, S, (un)substituted CH2; R1 = H, (un)substituted hydrocarbyl, heterocyclylhydrocarbyl, thiohydrocarbyl, (un)protected CO2H] were prepd., and in some cases resolved, as 2-penemcarboxylic acid intermediates. Thus, (4RS)-4-acetoxyazetidin-2-one was substituted with MeCOSH to give I (Z = O, R1 = Me). This was alkylated with EtOCH(OH)CO2CH2C6H4NO2-4 to give 1-azetidinylacetic acid II. The latter was converted to the 2-triphenylphosphoranylideneacetic acid in 2 steps, cyclized and debenzylated to give (5RS)-2-methyl-2-penem-3-carboxylic acid (III R1 = Me, R2 = H) (IV). Capsules were prepd. contg. 0.25 g IV from a mixt. contg. IV 250,000, corn starch 50,000, polyvinylpyrrolidone 15,000, Mg stearate 5000 g, and EtOH. In mice, III (R2 = H, protecting group) were active against Streptococcus at 8 to 50 mg/kg s.c.

IT **105625-34-1P**
(prepn. and substitution by, of acetoxyazetidinone)

RN 105625-34-1 ZCA

CN 2-Propenoic acid, 3-[(aminothioxomethyl)amino]-, 5-methyl-2-(1-methylethyl)cyclohexyl ester, monohydrochloride, [1R-[1.alpha.(2Z),2.beta.,5.alpha.]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



IT **105625-34-1P**
(prepn. and substitution by, of acetoxyazetidinone)

L9 ANSWER 6 OF 10 ZCA COPYRIGHT 2006 ACS on STN
92:180132 Thioenol ethers and their use. Ehrhardt, Heinz; Ertel, Hartmut; Mildenberger, Hilmar; Sachse, Burkhard; Hartz, Peter (Hoechst A.-G., Fed. Rep. Ger.). Ger. Offen. DE 2821639 19791122, 35 pp. (German). CODEN: GWXXBX. APPLICATION: DE 1978-2821639 19780518.

GI



Z



Z1



Z2

AB R2R3C:CR1SR4 [R1 = H, C1-6 aliph., phenyl(C1-3)alkyl, (un)substituted Ph; R2, R3 independently = NO2, cyano, R5CO, R5SO2 [R5 = (un)substituted NH2, C1-5 (un)substituted alkyl, C2-6 alkenyl or alkynyl, (un)substituted Ph], CR2R3 = Z (R = H, X = CH2; R = Me, X = CH2, O), Z1, Z2; R4 = C1-18 (un)substituted alkyl, C2-8 alkenyl, naphthyl, (un)substituted Ph, (CH2)nCO2R7 (R7 = H, C1-18 alkyl; n = 1, 2), CH2CH2SH, CHMeCH2SH], useful as agricultural bactericides and fungicides (extensive data tabulated), were prepd. by 4 methods. Thus, HSCH2CO2Et and EtOCH:C(COMe)CO2Et were stirred 4 h at

150.degree. to give 84% of a 70:30 (E)-(Z) mixt. of MeCOC(CO2Et):CHSCH2CO2Et.

IT **73386-53-5P 73388-28-0P**
(prepn. of)

RN 73386-53-5 ZCA

CN 2-Propenoic acid, 2-cyano-3-[(2-mercaptoethyl)thio]-, cyclohexyl ester, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 73388-28-0 ZCA

CN 2-Propenoic acid, 2-cyano-3-[(2-mercaptoethyl)thio]-, cyclohexyl ester, (Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



IT **73386-53-5P 73388-28-0P**
(prepn. of)

L9 ANSWER 7 OF 10 ZCA COPYRIGHT 2006 ACS on STN

92:22429 The penems, a new class of .beta.-lactam antibiotics. 4. Syntheses of racemic and enantiomeric penem carboxylic acids. Pfaendler, H. R.; Gosteli, J.; Woodward, R. B. (Woodward Res. Inst., Basel, CH-4002, Switz.). Journal of the American Chemical Society, 101(21), 6306-10 (English) 1979. CODEN: JACSAT. ISSN: 0002-7863.

GI



I



II

AB Racemic and enantiomeric penem-3-carboxylic acids I were prepd. from 4-acetoxy-2-azetidinone via the phosphoranes II [R = Me, (-)-menthyl], which underwent successive ozonolysis and intramol. Wittig reaction to give I ester derivs. (5R)-I is bactericidally active.

IT **72118-54-8P**
(prepn. and reaction of, with acetoxyazetidinone)

RN 72118-54-8 ZCA

CN 2-Propenoic acid, 3-mercapto-, 5-methyl-2-(1-methylethyl)cyclohexyl ester, sodium salt, [1R-[1.alpha.(Z),2.beta.,5.alpha.]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



● Na

IT **72118-54-8P**
(prepn. and reaction of, with acetoxyazetidinone)

L9 ANSWER 8 OF 10 ZCA COPYRIGHT 2006 ACS on STN

85:5911 p-Menthane derivatives. Lamparsky, Dietmar; Schudel, Peter (Givaudan, L., et Cie. S. A., Switz.). Patentschrift (Switz.) CH 573906 19760331, 3 pp. (German). CODEN: SWXXAS. APPLICATION: CH 1975-2159 19711005.

GI



I

AB The esters I [R = PrCO, isovaleroyl, EtCHMeCO, (E)-MeCH:CMeCO, formyl], useful as flavorants and odorants, were prepd. by esterification of the alc. with the acid anhydride or chloride in the presence of pyridine.

IT **38462-19-0P**
(prepn. of, for flavorants and odorants)

RN 38462-19-0 ZCA

CN 2-Butenoic acid, 2-methyl-, 2-(1-mercapto-1-methylethyl)-5-methylcyclohexyl ester (9CI) (CA INDEX NAME)



Not Polymeric

IT **38462-19-0P**
(prepn. of, for flavorants and odorants)

L9 ANSWER 9 OF 10 ZCA COPYRIGHT 2006 ACS on STN

78:110476 Influence of substituents on preparation and tautomerism of open-chain .beta.-thio keto esters. Structure determination by NMR and infrared spectroscopy. Duus, F. (Dep. Chem., Aarhus Univ., Aarhus, Den.). Tetrahedron, 28(24), 5923-47 (English) 1972. CODEN: TETRAB. ISSN: 0040-4020. OTHER SOURCES: CASREACT 78:110476.

GI For diagram(s), see printed CA Issue.

AB The acid-catalyzed reactions of 36 .beta.-keto esters, RCOCHR1CO2R2 (I), with H2S were studied. Passing H2S and HCl at -60.degree. or higher temps. through I (R1 = H) in MeCN or EtOH gave tautomers of RCSCHR1CO2R2 (II), whereas .alpha.-substituted I gave gem-dithiols, RC(SH)2CHR1CO2R2, or II depending on R1 and the reaction conditions. Alkyl halides and II Tl(I) salts gave S-alkylation. NMR and ir showed that the .beta.-thioxo esters II (R1 = H) exist as the

intramol. H-bonded cis-enethiol tautomers (III). The .alpha.-substituted esters exist as approx. 1:1 mixts. of the cis- and trans-enethiols, due to steric crowding. NMR chem. shifts as indicators of intramol. H-bonding and the long-range through-bond and through-space couplings involving enethiolic protons were discussed.

IT **40553-18-2P**
(prepn. of)

RN 40553-18-2 ZCA

CN 2-Butenoic acid, 3-mercapto-, cyclohexyl ester (9CI) (CA INDEX NAME)



IT **40553-18-2P**
(prepn. of)

L9 ANSWER 10 OF 10 ZCA COPYRIGHT 2006 ACS on STN

77:114601 8-Mercapto-3-(acyloxy)-p-menthanes. Lamparsky, Dietmar; Schudel, Peter (Givaudan, L., et Cie S. A.). Ger. Offen. DE 2152015 19720531, 14 pp. (German). CODEN: GWXXBX. APPLICATION: DE 1971-2152015 19711019.

GI For diagram(s), see printed CA Issue.

AB Six title compds. [I, R = Me(II), Pr, CH2CHMe2, CHEtMe, H, or CMe:CHMe], which were used as odors or flavors, were prepd. by reaction of 8-mercapto-3-hydroxy-p-menthane (III) with the appropriate anhydrides or acid chlorides. Thus, hydrogenation of 8-mercapto-3-oxo-p-menthane with LiAlH4 or NaBH4 gave 80 or 70% III, resp. Reaction of III with Ac2O in the presence of pyridine .apprx.12 hr at 0.degree. gave II.

IT **38462-19-0P**
(prepn. of)

RN 38462-19-0 ZCA

CN 2-Butenoic acid, 2-methyl-, 2-(1-mercapto-1-methylethyl)-5-methylcyclohexyl ester (9CI) (CA INDEX NAME)



IT **38462-19-0P**
(prepn. of)